



PRESENTING CEASEFIRE

ULtraX SERIES



**KITCHEN FIRE
SUPPRESSION SYSTEM**




LISTED



CONTENTS

Introduction	01
System USPs	02
How The System Works	06
Key Features	09
Equipment and Fuel Types	10
System Configurations	11
Fully Compliant to EN 16282-7	13
ULtraX Assurance	15



INTRODUCTION

PUTTING AN END TO KITCHEN FIRES WITH ULtraX

Even the most meticulously maintained and efficiently operated commercial and industrial kitchens can still experience unexpected mishaps. This is because fire is used as a medium of cooking, along with a whole host of cooking appliances and flammable materials present, the risk of fire in kitchens is always high.



Ceasefire's ULtraX Commercial Kitchen Suppression System is a cutting-edge, automated, engineered solution that is designed to address the unique fire risks that a commercial kitchen environment poses. The system is certified to the UL 300 standard and adhere to the NFPA 96/17A guidelines.

SYSTEM USPs

WHAT MAKES CEASEFIRE'S ULtraX SERIES CLASS APART?

1. Choice Of Detection

The system comes with three types of detection and activation configuration options to suit every kind of kitchen application.

A. Electrically Triggered

Linear Heat Sensing (LHS) Cable

Intelligent LHS-based detection activates the system automatically when the temperature reaches a predefined level in case of a fire episode in a cooking appliance.

Probe Detection

The system can also be configured with the Probe Detector driven detection module, which creates a switching effect and automatically activates at a predefined temperature.




B. Mechanically Activated Fusible Links

Activated by heat, the two halves of the fusible link separate, triggering the system to discharge the agent onto the appliance that has caught fire.

C. Hybrid System

The hybrid system uses a mechanical fusible-link based detection and the activation is part mechanical and part electrical. The system can trigger up to four mechanically activated agent containers and up to six electrically triggered containers, simultaneously.





2. Only Two Nozzle Types

The Ceasefire's ULtraX Series Kitchen Suppression System uses only two nozzle types for all system configurations and applications, making the system design simpler and error-proof.

- a. 15 degrees nozzle for the plenum.
- b. 40 degrees nozzle for all types of equipment.

3. Chef-Friendly & Aesthetically Pleasing Design

Ceasefire's UL-listed kitchen suppression series are designed aesthetically with a universal installation and placement approach, ensuring its adaptability to different kitchen layouts and requirements. The nozzles placed on the front or side of the kitchen hood, with also versatility of height placement, enhance the chef's convenience and operational efficiency.



4. Powerful & Earth-Friendly Extinguishing Agent

The system uses a potent 10% concentrated wetting agent derived from 100% biodegradable vegetal extract, capable of rapidly extinguishing various types of kitchen fires within seconds. The biodegradability feature of the agent adds to its environmental friendliness. The agent meets the Reach Compliance and does not contain SVHC (Substance of Very High Concern).

5. Continuous/Overlapping Protection

A unique feature of Ceasefire's UL listed Kitchen Suppression System is that it can be designed for Group or Overlapping/ Continuous Protection. Group Protection is required where a cluster of appliances need to be protected as a group. Whereas, the Continuous/Overlapping Protection is required where the mandate is to protect everything under the length of the hood, uniformly.




6. Easy To Monitor System Readiness

The stored pressure technology of the system with in-built pressure gauge makes it possible for one to know about the readiness of the system by mere observation. Also, the presence of a pressure switch makes it possible to electronically monitor the system through the response panel.

7. Quick Installation

At Ceasefire we use pressurised compression fittings that makes it easier for our installers to install the system with minimal turnaround time. This also aids in the maintenance of the system by easing the process of installing and uninstalling the system components.



8. Continuous Wire arrangement Based Fusible Links

The mechanically driven systems have an option to use Ceasefire's unique continuous wire arrangement based Fusible Links that makes installation and maintenance easy.

9. Fully Compliant To EN 16282-7

The compliance to EN 16282-7 ensures that your kitchen suppression system is installed and maintained adhering to world class quality standards. (For more details refer page 10)



10. Protects Wide Range Of Equipment & Appliances

Tested for performance and safety on a wide variety of cooking equipment and appliances. (For more details refer page 08)

11. Capable Of Protecting Small To Big Kitchen Hoods

The Ceasefire's ULtraX Series Kitchen Suppression System can protect the smallest kitchen hood length of 800 mm with a minimum of 3 nozzles configuration to a maximum of 7m kitchen hood length with 18 nozzles configuration, with a single container system, providing full protection.



HOW THE SYSTEM WORKS

In the event of a fire, when the temperature rises to a predefined level the detection module kicks into action to trigger the system. The fire detection module in the Ceasefire ULtraX System could either be Electrical Triggered or Mechanical Fusible Links based.

Electrical Detection

In case of an Electrically triggered system, the Linear Heat Sensing Cable or Probe detector senses the fire when the temperature rises to a predefined level creating a switching effect and signalling it to the control panel. The control panel in turn triggers the system by activating the solenoid valve on the container head.




Mechanical Detection

The Mechanically activated system gets activated when the two halves of the fusible link separate when the temperature reaches a predefined level due to fire. This mechanically triggers the system via the Mechanical Actuation Unit and activates the valve on the container head, releasing the agent.



Hybrid System

In the hybrid system the detection is mechanical and the activation is part mechanical and part electrical. A fusible link based detection network actuates up to four (4) mechanically activated containers using the piercing pin mechanism and up to six (6) electrically activated (solenoid valve based) containers using a power-signal from the power adaptor via the micro-switch in the Mechanical Activation unit.



System Activation and Suppression

Activation through either of the above two detection methods results in the agent being discharged through a dedicated discharge line via specialised nozzles leaving no blind spots. The system is designed to give full protection against fire under the hood, plenum, and duct area.

Once activated, the gas shut-off valve which is an integral part of these systems instantly shuts down the gas supply to the appliances, ensuring complete safety of the premise.

The systems can also be configured to cut off the power supply to an electrically powered cooking appliance, in case that is being used.

The systems are equipped with at least one Manual Pull Station that provides immediate response capabilities, backing up the automatic suppression system.

Electrical Systems also come with the provision of a mechanically-driven manual call point.



The Cleanest Extinguishing Agent In Its Category


Ceasefire ULtraX Kitchen Suppression System uses the greenest and the most sustainable extinguishing agent in the category. The extinguishant is a potent wetting agent with only 10% concentration that is derived from 100% biodegradable vegetal extract.

The agent also meets the REACH Compliance and does not contain SVHC (Substance of Very High Concern) making it extremely low on eco-toxicity and free of phosphate.

This makes the agent one-of-its-kind to not only extinguish all types of kitchen fires rapidly but also do so without causing any harm to the environment.

The Ceasefire ULtraX extinguishing agent is neutral, non-acidic or alkaline to harm anyone and is absolutely safe for humans. It has no record of causing any irritation to eyes, skin or respiratory tract on ingestion and is not classified as a hazardous product.

The Ceasefire Agent is also safe to be disposed off after use by simply washing it off the drain as it is well tolerated by sewage plant treatment operations.



KEY FEATURES



Choice of 3 Detection and Activation Modules:

Electrical, Mechanical and Hybrid.



Highly Potent & Eco-Friendly Agent:

10% concentrated wetting agent derived from 100% biodegradable vegetal extract, highly potent on kitchen fires which meets the reach compliance and does not contain SVHC (Substance of Very High Concentration).



Ease of Shipping:

Supply of the agent in concentrated form allows for convenient shipping and portability.



Versatile Nozzle Design:

Only two nozzle types for all system configurations and applications. Metal caps on nozzles ensure protection against grease deposits & obstructions.



Stored Pressure Technology:

Keeps the system under constant pressure, ensuring prompt and effective deployment of the agent to enhance the system's reliability and responsiveness.



Quick Installation:

The piping network uses compression fittings with 10mm, 8mm, and 6mm branching that allows for quick and easy installation.



Integrated Gas Shut-Off Valve:

Gas Shut-off Valve automatically stops the supply of gas, ensuring the safety of the premise.



Continuous/Overlapping Protection

The system offers a unique feature: it supports Group Protection for clusters of appliances or Continuous / Overlapping Protection to uniformly cover everything under the hood.



Integration Capabilities:

The systems can be integrated with a minimum of 2 manual call points and gas shut off valves in case it is required.



Customizable System Configuration:

Option to configure the system with multiple containers connected via manifold to arrive at unique system configuration as demanded by the kitchen.



Highly Versatile System:

One system design that protects an extensive range of cooking appliances and different fuel types.



Stainless Steel Agent Containers:

Stainless Steel epoxy coated containers ensure rust-free and trouble-free operation in the long run.



Continuous Wire Arrangement Based Fusible Links:

The mechanically driven systems have an option to use Ceasefire's unique continuous wire arrangement based Fusible Links that makes installation and maintenance easy.



UL Listed:

System Designs are tested and listed to Underwriters Laboratories (UL) Standard UL300 design to meet the requirements of the Underwriters Laboratory standard UL 1254 and as demanded by NFPA 17A, NFPA 96.



Saves Floor Space:

System allows the placement of the container at a convenient distance from the hood to accommodate all types of kitchen layouts or designs and saves the premium floor space of the kitchen.

EQUIPMENT AND FUEL TYPES

The Ceasefire's UL Listed Commercial Kitchen Fire Suppression System is tested for performance and safety on a wide variety of cooking equipment and appliances like few mentioned below and many more. The tests not only include a wide variety of cooking fuels such as vegetable oil, semi-solid grease, shortening, mesquite wood, lava pumice, and charcoal but also different types of low-fat meats. These tests ensure that we have got you covered for multiple kinds of fire situations.



Deep Fat Fryer



Griddle



Skillet



Wok




Salamander



Chained Broiler



Split Chain Broiler



Split Deep Fat Fryer



Range Top with Circular Pots



Henny Penny Fryer

SYSTEM CONFIGURATIONS

Ceasefire's ULtraX Series Wet Chemical based Commercial Kitchen Fire Suppression System is configurable to protect kitchen hoods of different lengths. From the smallest size of 800mm up to 7m with a single container, providing total protection. The table below explains the various system configurations possible w.r.t to the container size, agent capacity, and the number of nozzles deployed in the system. Each nozzle is capable of protecting 800*800mm of space under the hood.

Cylinder Size	Agent Capacity	Nozzles
14 ltr	9 ltr	3
18 ltr	12 ltr	4
22 ltr	16.5 ltr	5-7
27 ltr	20 ltr	6-10
32 ltr	24 ltr	8-12
44 ltr	30 ltr	10-14
64 ltr	45 ltr	15-18



Electrical System Containers



Mechanical System Containers



FULLY COMPLIANT TO EN 16282-7

About EN 16282-7

“EN 16282-7 is a European Standard that lays forth the technical safety, ergonomic, and hygienic standards for the design, manufacture, and use of kitchen ventilation hoods. The ventilation systems in commercial kitchens, related spaces, and other facilities processing meals meant for commercial use must comply with this European Standard. Kitchens and associated areas are special rooms in which meals are prepared, where tableware and equipment is washed, cleaned, food is stored and food waste areas. A process for verification of each requirement is also well-defined.

By establishing uniform rules for performance testing, servicing & maintenance, and danger classifications such as fire, the new technical standard assists in bringing uniformity in regulations across the industry. The standard helps to better protect people, property, and businesses by bringing the restaurant industry closer to more effective commercial kitchen fire prevention.”



Value EN 16282-7 Brings to the Table



Ensures quality installation and maintenance of your kitchen suppression systems by authorised professionals



Reduced risk of kitchen fires



More comfortable and safe working environment for kitchen staff



Clear labels & manuals for quick & easy visual reference in case of fire emergency



Adds repute to your kitchen, being a globally recognised safety standard

ULtraX ASSURANCE

Ceasefire's ULtraX Series Kitchen Suppression System is a state-of-the-art, meticulously designed, and automated solution that ensures comprehensive 24X7 protection for commercial kitchens.



Ceasefire Industries Private Limited

B1/ H1, 2nd Floor, Mohan Cooperative
Industrial Estate, Mathura Rd, New Delhi - 110044

Tel: 011-4184 6800 | Call our Free Hotline : 1800 120 3473 / +91 9540 666 666



Scan the QR code
to visit our website

Website : www.ceasefire.in

Follow us on:



Please check the product specifications at the time of placing your order from our website (address of which is given at the end of this catalogue). Specifications can change without notice due to our continuous R&D and product improvisation initiatives.